

#### Revision Number: 007.0

### 1. IDENTIFICATION

**IDH number:** 

LOCTITE EDAG PF 455BC 1KG E&C UV curable dielectric ink

2994936

Product type/<br/>Recommended use:UV curable dielRestriction of Use:<br/>Company address:None identifiedHenkel Corporation<br/>One Henkel Way<br/>Rocky Hill, Connecticut 0606706067

Product name:

Region:United StatesContact information:Telephone: +1 (860) 571-5100MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet: www.henkelna.com

### 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW		
WARNING:	H315 - CAUSES SKIN IRRITATION.		
	H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.		
	H319 - CAUSES SERIOUS EYE IRRITATION.		
	H335 - MAY CAUSE RESPIRATORY IRRITATION.		

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

ĺ	PICTOGRAM(S)

#### **Precautionary Statements**

Prevention:	P261 - Avoid breathing mist/vapours. P264 - Wash affected area thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves, eye protection, and face protection.
Response:	P302+P352 - IF ON SKIN: Wash with plenty of water.
	<ul> <li>P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical attention.</li> <li>P337+P313 - If eye irritation persists: Get medical attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>
Storage:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Disposal:	P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

#### Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
2-[(3a,4,5,6,7,7a-Hexahydro-4,7- methano-1H-inden-6-yl)oxy]ethyl acrylate	65983-31-5	30 - 60
Talc	14807-96-6	10 - 30
2-Hydroxy-2-methylpropiophenone	7473-98-5	1 - 5
Polybutadiene acrylate		1 - 5
Hydroxyalkyl methacrylate	27813-02-1	0.1 - 1

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.
Indication of any immediate medical attention / special treatment needed:	Not available.

### 5. FIRE FIGHTING MEASURES

Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Improper extinguishing agents:	Not available.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.
Unusual fire or explosion hazards:	Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
Hazardous combustion products:	Oxides of carbon. Toxic fumes. Irritating vapors.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Do not allow product to enter sewer or waterways.

Clean-up methods:

Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Scrape up spilled material and place in a closed container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 7. HANDLING AND STORAGE

Handling:

Storage:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed.

For safe storage, store between 15 °C (59°F) and 30 °C (86°F) Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Keep away from heat, spark and flame. Protect from direct sunlight. Maintain head space in storage containers to support oxygen requirements of the inhibitor(s).

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Talc	2 mg/m3 TWA Respirable fraction.	0.1 mg/m3 TWA Respirable 20 MPPCF TWA 2.4 MPPCF TWA Respirable	None	50 ppm
2-Hydroxy-2-methylpropiophenone	None	None	None	1 mg/m3
Hydroxyalkyl methacrylate	None	None	None	1 ppm TWA 3 ppm STEL
Engineering controls:	Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.			
Respiratory protection:	Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.			
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.			
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.			

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: . Vapor pressure: Boiling point/range: Melting point/ range: Density/Relative density: Relative vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility: Partition coefficient n-octanol/water (logarithmic value): VOC content: **Dynamic viscosity:** IDH number: 2994936

Liquid, Viscous Tan Characteristic Not available. Not applicable, Product is non-soluble (in water). < 1 hPa (20 °C (68°F)) 204 °C (399.2 °F) Not applicable, Product is a liquid 1.019 > 1 20 °C > 93 °C (> 199.4 °F) None Not available. Not available. Not available. The product is not flammable. Not available. Insoluble Water Not available. 0 g/l

13,000 cp

Kinematic viscosity: Particle characteristics: Decomposition temperature:	> 5,000 mm2/s Not applicable, Product is a liquid Not available.	
	10. STABILITY AND REACTIVITY	
Stability:	Stable under normal conditions of storage and use.	
Hazardous reactions:	May occur with excessive aging, excessive heat, polymerization catalyst, inhibitor depletion, direct sunlight and under oxygen-free atmospheres.	
Hazardous decomposition products:	Oxides of carbon. Toxic fumes. Irritating vapors.	
Incompatible materials:	Oxidizing agents. Reducing agents. Strong acids and strong bases. Amines. Peroxides. Free radical initiators. Inert gases. Oxygen scavengers. Reactive metals.	
Reactivity:	Not available.	
Conditions to avoid:	Keep away from heat, ignition sources and incompatible materials. Protect from direct sunlight. Loss of polymerization inhibitor. Loss of dissolved air.	

**11. TOXICOLOGICAL INFORMATION** 

Likely routes of exposure:

Skin, Inhalation, Eyes, Ingestion

#### Potential Health Effects/Symptoms

Inhalation:	May cause respiratory tract irritation.
Skin contact:	Causes skin irritation. May cause allergic skin reaction.
Eye contact:	Causes serious eye irritation.
Ingestion:	May cause gastrointestinal tract irritation if swallowed. Not expected under normal conditions of
_	use.

Hazardous Component(s)	LD50s and LC50s	
2-[(3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-inden-6- yl)oxy]ethyl acrylate	None	
Talc	None	
2-Hydroxy-2-methylpropiophenone	None	
Polybutadiene acrylate	None	
Hydroxyalkyl methacrylate	None	

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
2-[(3a,4,5,6,7,7a-Hexahydro-4,7- methano-1H-inden-6-yl)oxy]ethyl acrylate	Irritant	Allergen	
Talc	Irritant		Lung Some evidence of carcinogenicity
2-Hydroxy-2-methylpropiophenone			
Polybutadiene acrylate			
Hydroxyalkyl methacrylate	Irritant	Allergen	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
2-[(3a,4,5,6,7,7a-Hexahydro-4,7- methano-1H-inden-6-yl)oxy]ethyl acrylate	No	No	No
Talc	No	Group 2A	No
2-Hydroxy-2-methylpropiophenone	No	No	No
Polybutadiene acrylate	No	No	No
Hydroxyalkyl methacrylate	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

## 13. DISPOSAL CONSIDERATIONS

#### Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

#### **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None
International Air Transportation (ICAO/IATA)	
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Dicyclopentyloxyethyl acrylate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Water Transportation (IMO/IMDG)	
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dicyclopentyloxyethyl acrylate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	
Marine pollutant:	Dicyclopentyloxyethyl acrylate

# **15. REGULATORY INFORMATION**

United States Regulatory Information	
TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances
	Control Act (TSCA) inventory.
TSCA 12 (b) Export Notification:	None above reporting de minimis
CERCLA/SARA Section 302 EHS:	None above reporting de minimis.
CERCLA/SARA Section 311/312:	Please refer to the GHS classification in Section 2
CERCLA/SARA Section 313:	None above reporting de minimis.
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	

# CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

### 16. OTHER INFORMATION

This safety data sheet contains changes	from the previous version in sections: 3,7,8,9,10,11,13,15
---	--

Prepared by:	Product Safety and Regulatory Affairs
--------------	---------------------------------------

Issue date: 02/19/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.